




Wood Compound Door Frames & Moldings

Tafu




MS-02 40mm
Plain & Straight Skirting



MS-01 60mm
Tilt & Straight Casing



MS-03 60mm
Straight & Plain Skirting



MS-04 60mm
Round & concave Skirting



MS-05 80mm
Straight & Plain Skirting



MST-06 70mm
Baseboard Skirting



MSP-01 70mm
Ceiling Skirting



Door Frame 73mm ~~~ Adjustable



























Adjust width of door frame to suit wall thickness by cutting width of center insert.



WPC

Wood Plastic Composite

WPC Wood Substitute has many advantages over natural wood: **Termite Resistant; Sun, Rain and Weather Resistant** (Colors don't was out as natural wood); **Warping Resistant; Great Looking; Low Maintenance; No Stains; Washes with Water; No Paints; Environmentally Friendly** (made with 40% Recycled Plastic) **100% Recycled Material**

No	Type	Showcase	Profile	Width (mm)	Height (mm)	Weight (kg/m)	Remark
1	SMJ140S11			140	11	1.88	Solid Decking
	SMJ140S15			140	15	2.57	
	SMJ140S20			140	20	3.40	
	SMJ140S25			140	25	4.26	
	SMJ140S35			140	35	5.94	
	SMJ140S40			140	40	6.98	
2	SMJ140H40Y			140	40	4.45	Hollow Decking
3	SMJ140H35Y			140	35	3.90	supply special clip for decking
4	SMJ140H25Y			140	25	2.65	
5	SMJ150S26			150	26	4.80	
	SMJ138S24			138	24	4.00	
6	SMJ90S25			90	25	2.74	
	SMJ95S12			95	12	1.75	
	SMJ62S10			62	10	0.85	
7	SMJ100S100			100	100	11.70	
	SMJ90S90			90	90	9.80	
	SMJ68S68			68	68	5.50	
8	SMJ100H100y			100	100	9.78	
9	SMJ140H140			140 × 140	65 × 65	19.40	
	SMJ120H120			120 × 120	78 × 78	10.00	
	SMJ100H100			100 × 100	44 × 44	9.78	
	SMJ90H90			90 × 90	42 × 42	7.60	
10	SMJ47H47			47	47	1.90	
11	SMJ100S50			100	50	5.90	
	SMJ90S40			90	40	4.39	
	SMJ80S40			80	40	3.90	
	SMJ50S40			50	40	2.40	
	SMJ40S30			40	30	1.50	
	SMJ30S20			30	20	0.70	
	SMJ30S30			30	30	1.10	
12	SMJ92S68B			92	68	7.50	R=34
	SMJ90S40B			90	40	4.29	R=20
	SMJ80S40B			80	40	3.65	R=20

28	ZGJ140S40			140	40	6.50	strengthened with bamboo
29	140S25			140	25	4.29	
30	100H50 Armrest			100	50	2.90	
31	90H75 Armrest			90	75	2.76	
32	I shape			97	74	2.50	
33	L shape			60	29	0.90	
34	Spe. Keel			50	29.5	1.45	
35	I beam			95	60	3.85	
36	hol. beam			90	60	2.75	
37	SMJ165S8 5.5" siding wall board			165	8	2.10	superposition piece by piece
38	simple cap			140	140		
				120	120		
				100	100		
				90	90		
39	120x120 100x100 post cap						
40	112x112			112	112	3.80	
	96x96 (inside)						
41	Clip clamp						

28	ZGJ140S40			140	40	6.50	strengthened with bamboo
29	140S25			140	25	4.29	
30	100H50 Armrest			100	50	2.90	
31	90H75 Armrest			90	75	2.76	
32	I shape			97	74	2.50	
33	L shape			60	29	0.90	
34	Spe. Keel			50	29.5	1.45	
35	I beam			95	60	3.85	
36	hol. beam			90	60	2.75	
37	SMJ165S8			165	8	2.10	superposition piece by piece
	5.5" siding wall board						
38	simple cap			140	140		
				120	120		
				100	100		
				90	90		
39	120x120						
	100x100						
	post cap						
40	112x112			112	112	3.80	
	96x96 (inside)						
41	Clip clamp						

Natural Wood Feeling; Nails, Screws and Cuts Like Wood without cracking.
Pictures Show One Profile of several Color Choices
Lengths can be Buyer Requested
Surface Textures are Wood Grain, Smooth, Saw tooth, Stripe, or Sand Blasted.